



X-YACHTS X-55

BUILDER:	X-Yachts
YEAR:	2011
L.O.A:	16.76m
BEAM:	4.57m
DRAFT:	2.20m
ENGINE:	Yanmar 110 Hp 4JH4-HTE

ASKING PRICE
€339.000 VAT not paid

SPECIFICATIONS

CONSTRUCTION:	Fibreglass
CRUISING SPEED:	8 kn
WATER CAPACITY:	550 L
FUEL CAPACITY:	750 L
DISPLACEMENT:	16.500 kg
LOCATION:	Athens, Greece

ACCOMMODATION

CABINS:	3 Guests 6
HEADS:	3
CREW CABINS:	1

George Siaravas
Yacht Broker
george@atalantamarine.com
+30 6936 85 3100

MECHANICAL EQUIPMENT

- Generator Fisher Panda 15.000 (Yearly serviced by Petrakis official FP dealer)
- Water maker Watermaker TECNICOMAR 4 L per minute full drinkable and served cold (twice a year once when we put the boat in the water and at end of season)
- Air Conditioning cooling and heating in all areas / yearly serviced
- Windlass electric Quick with additional controller from the helmstation, including X-Yachts anchor launch system and 140 m stainless steel chain 12 mm

NAVIGATION EQUIPMENT

- Automatic pilot Raymarine intergated directly to rudder axle
- Depth sounder Raymarine
- Log-speedometer Raymarine
- GPS – Plotter Raymarine E120 (2)
- Wind-speed direction Raymarine
- Repeater x 7
- VHF Raymarine
- Compass
- Steering wheel 2 Carbonautica

SAILING EQUIPMENT

- Aluminum Mast and Boom John Mast with Rod rigging
- Winches 4 Andersen (3 electric with variable speed) with self tail
- Mainsail fully batten 94 m² from 2020
- Furling genoa 75 m² from 2020
- Gennaker 204 m² from 2013
- Hydraulic Boomvang and Backstay NAVTEC

ELECTRICAL EQUIPMENT

- Inverter Victron Energy MultiPlus II
- Charger inverter Victron 120/5000
- Shore power inlet
- Electric Bilge Pump
- Battery charger
- Batteries engine 80 amp Gel (2023), generator 80 amp Gel (2023), service 8 x 120 amp Gel (2023) total capacity 960 Ah
- Underwater lights
- Mast lights
- Boom light
- TV - Radio Antena GLOMEX on the mast
- Camera 2 on the spreader / 2 in the saloon area

GALLEY EQUIPMENT

- Stove
- Oven
- Fridge
- Refrigerator
- Nespresso coffee machine
- Hot water (by engine and 230V)

OTHER EQUIPMENT

- Tender & Outboard 3.20 m with 6hp outboard engine
- Teak cockpit (re-caulking 2023)
- Teak sidedecks (re-caulking 2023)
- Cockpit table(wooden and removable, stored under deck)
- Cockpit shower with hot/cold water
- Cockpit cushions
- Swimming ladder
- Gangway 3,20 meters carbon fiber
- Liferaft
- EPIRB
- Full Safety equipment
- Antifouling The boat has been hauled out of the water up every year and painted with official Hempel paint and polish

ENTERTAINMENT

- TV (2) SAMSUNG flat
- DVD Player
- Radio (one in saloon area and one in owner's suite)
- CD Player
- Cockpit speaker

COVERS

- Cockpit sunshade - furling on the boom sides
- Mainsail cover
- Cockpit cover
- Spray hood
- Lazy bag
- Lazy jacks
- Helmstations







YANMAR

Fuel consumption

STOP

GLOW OFF ON START

A black plastic control panel for a Yanmar engine. It features three circular gauges: a tachometer on the left, a central RPM gauge with markings at 10, 20, 30, 40, and 50, and a pressure gauge on the right. A fuel consumption gauge is located on the right side of the panel. A red emergency stop button is positioned above the central gauge. Below the gauges is a black rotary switch with positions for 'GLOW', 'OFF', 'ON', and 'START'. A set of keys is attached to the 'START' position. The panel is mounted on a white surface.

A vertical, chromed metal throttle lever with a flat top, mounted on a white panel. A red stop screw is visible at the base of the lever. A set of keys is hanging from the lever's shaft.

A rectangular stainless steel fuel tank mounted on the white hull. It has a brushed metal finish and a slightly raised top edge.

NAVAVEL

VANG BACKSTAY

A polished stainless steel control panel for a backstay. It features a central gauge labeled 'kPSI NAVTEC' with a scale from 0 to 5. A black handle is attached to the right side of the panel. A vertical rod passes through the center of the panel. The panel is mounted on a white surface.

A stainless steel pulley system for a backstay. It consists of a horizontal bar with a rope passing over it. The rope is attached to a vertical rod that passes through the Navavel control panel.











Cabin light 1
 Cabin light 2
 Cabin light 3
 Cabin light 4
 Night lights
 Cockpit lights
 Navigation lights
 Anchor/windex light
 Tri colour
 Boomlight
 Deck flood light

Steaming light
 Spreader Uplights
 Instruments/autopilot
 Radar/plotter
 Spare
 Anchor Winch
 Radio/Cd stereo
 VHF
 Refrigerator
 Freezer
 Electrical toilets

Fresh water pump
 Drinking Water
 Shower sump pumps
 Keel sump pump
 Fuel pump 1
 Fuel pump 2
 12V DC socket
 Gas detector/Gas valve
 Spreader Downlights
 Aft Underwater Lights
 Mid Underwater Lights

TANK
 WATER
 Water 2 0 Water 3
 0 0
 Water 1 Water 4 Fuel 1 Fuel 2 0 Fuel 3
 0 0
 Fuel cons.

BMW-6025
 BATTERY MONITOR
 victron energy
 12.5V
 SETUP + SELECT -

Fuel transfer pump 1 - 2
 Transfer from tank 1 Transfer from tank 2
 Fuel transfer pump 3
 Transfer from tank 3
 Keel sump pump
 Man.

X-Yachts
 WORLD CLASS SINCE 1979

Panda iControl


Fischer Panda

TECNICOMAR
 DISSALATORI - WATERMAKERS
 UNSAFE

MasterShunt 99 %
 Mass Combi Off
 Mid Easy English

Raymarine

E120



microtouch



OPERATING INSTRUCTIONS

SUBMERSIBLE















Left side of the control panel featuring a small switch with a white arrow pointing left and a white 'B' symbol.

ENO

Stack of colorful cloths (purple, blue, yellow, pink) visible at the bottom right corner of the oven interior.









Forpeak - 4